



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/695,717	10/29/2003	Craig John Simonds	201-1113	5583
28415	7590	10/04/2006	EXAMINER	
PRICE, HENEVELD, COOPER, DEWITT & LITTON, LLP			LIEU, JULIE BICHNGOC	
695 KENMOOR S.E.				
P. O. BOX 2567			ART UNIT	PAPER NUMBER
GRAND RAPIDS, MI 49501-2567			2612	

DATE MAILED: 10/04/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	<b>Application No.</b> 10/695,717	<b>Applicant(s)</b> SIMONDS ET AL.	
	<b>Examiner</b> Julie Lieu	<b>Art Unit</b> 2612	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 17 July 2006.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-10, 12-18, 20-24 and 26-35 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-10, 12-18, 20-24, and 26-35 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |                                                                                      |                                                                   |
|--------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                     | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____                                                          | 6) <input type="checkbox"/> Other: _____                          |

### DETAILED ACTION

1. This Office action is in response to Applicant's amendment filed July 17, 2006. Claims 1, 13, 17, and 23 have been amended. Claims 11, 19, and 25 have been canceled. New claims 28-35 have been added.

2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

### *Claim Rejections - 35 USC § 103*

3. Claims 1, 3-13, 15-20, and 22-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Takahashi et al. (US Patent No. 6,097,313).

#### Claim 1:

Takahashi et al. (Takahashi) disclose a system for providing remote data to a vehicle, comprising:

- a. An off-board data source 0105;
- b. A compute platform (fig. 1) for accessing the data source to acquire information and generating a stream of data (navigational data) as a function of time and relative location wherein the stream of data contains information have variable resolution that varies based on time or relative location (see col. 4, lines 38-48, col. 5, lines 42-50, col. 8, lines 35-52, col. 9, lines 23-49);

Art Unit: 2612

- c. A data communication link 0106 for communicating data between the off-board data source 1015 and the vehicle wherein the stream of data is applied to the vehicle for use onboard the vehicle;
- d. A plurality of context advisors each providing a source of information for a designated category 0104;
- e. A plurality of service agents 0102, wherein the service agents perform context-information filtering based on a requested service; and
- f. An interface 0106 for interfacing with an onboard device on the vehicle, wherein the context advisors perform information collection, and the service agents employ the collected information to acquire and store pertinent information.

While the reference fails to clearly stated that the information varies based on both time and relative locations, it does suggests that the information also varies based on time as indicated in col. 5, lines 27-50. Thus, one skilled in the art would have readily recognized using both time and location criteria to vary the information to be sent to the on-board unit to limit the information to only relevant information.

Claim 2:

The Takahashi system comprises a source (GPS system) for supplying the location of the vehicle.

Claim 3:

The relative location in Takahashi is a location of the vehicle to an expected destination.

Claim 4:

The compute platform (fig. 1) is located remote from the vehicle.

Claim 5:

The vehicle 0108 in Takahashi comprises an onboard data communication port (represented by vehicular onboard unit 0109) for receiving the supplied stream of data. See fig. 1.

Claim 6:

The compute platform in Takahashi generates the stream of data in response to receiving a data request from the vehicle. See fig. 1.

Claim 7:

In Takahashi, the stream of data is communicated to the vehicle via wireless communication.

Claim 8:

The vehicle disclosed in Takahashi has a data storage device located on the vehicle for storing the stream of data received at the vehicle.

Claim 9:

The data storage device in the vehicle unit purges data as a function of time and relative location. Col. 5, lines 42-50.

Claim 10:

The stream of data is determined as a function of travel distance from the location of the vehicle.

Claim 13:

Takahashi discloses a system for providing remote data to a vehicle, comprising:

- a. An off-board data source 0105 (fig. 1);

- b. A distribution station remote 0106 from the vehicle and in data communication with the off-board data source, the distribution station comprising a transceiver for communicating with the vehicle;
- c. A compute platform 0105 for accessing the data source to acquire information and generating a stream of data as a function of time and distance to a location, wherein the stream of data of data contains information have variable resolution that varies based on at least one of the time and relative location (see col. 4, lines 38-48, col. 5, lines 27-50, col. 8, lines 35-52, col. 9, lines 23-49);
- d. A data communication link 0106 for communicating data between the off-board data source 0105 and the vehicle wherein the stream of data is applied to the vehicle for use onboard the vehicle
- e. A plurality of context advisors each providing a source of information for a designated category 0104;
- f. A plurality of service agents 0102, wherein the service agents perform context-information filtering based on a requested service; and
- g. An interface 0106 for interfacing with an onboard device on the vehicle, wherein the context advisors perform information collection, and the service agents employ the collected information to acquire and store pertinent information.

While the reference fails to clearly stated that the information varies based on both time and relative locations, it does suggest that the information also varies based on time as indicated in col. 5, lines 27-50. Thus, one skilled in the art would have readily recognized using both time

Art Unit: 2612

and location criteria to vary the information to be sent to the on-board unit to limit the information to only relevant information.

Claim 15:

The system in Takahashi further comprises a position-determining device (GPS receiver) for determining the position of the vehicle.

Claim 16:

The vehicle in Takahashi comprises an onboard data communication port for receiving the supplied stream of data.

Claim 17:

Takahashi discloses a system and thus method of supplying data from an off-board data supplier to an onboard device on a vehicle, said method comprising the steps of:

- a. Acquiring data communication between an off-board data supplier and a vehicle;
- b. Receiving a request for data from the vehicle (fig. 1, vehicle on-board unit);
- c. Determining a location of the vehicle (GPS);
- d. Determining a time reading (inherent);
- e. Supplying data to the vehicle as a function of the time and the relative location of the vehicle, wherein the stream of data of data contains information have variable resolution that varies based on time or relative location (see col. 4, lines 38-48, col. 5, lines 27-50, col. 8, lines 35-52, col. 9, lines 23-49);
- f. Collecting information from a plurality of context advisors 0104;
- g. Receiving service request from vehicle's on-board system;

Art Unit: 2612

- h. Performing context-information filtering based on the service requested;
- i. Acquiring pertinent information from the collected information;
- j. Storing the pertinent information in memory; and
- k. Delivering up-to-date information and services to the vehicle.

While the reference fails to clearly stated that the information varies based on both time and relative locations, it does suggest that the information also varies based on time as indicated in col. 5, lines 27-50. Thus, one skilled in the art would have readily recognized using both time and location criteria to vary the information to be sent to the on-board unit to limit the information to only relevant information.

Claim 18:

The rejection of claim 18 recites the rejection of claim 10, except it is a method claim.

Claim 20:

The rejection of claim 20 recites the rejection of claim 9, except it is a method claim.

Claim 22:

The rejection of claim 22 recites the rejection of claim 3, except it is a method claim.

Claim 23:

Takahashi discloses a system and thus method of supplying data from an off-board data supplier to an onboard device on a vehicle, said method comprising the steps of:

- a. acquiring data communication between an off-board data supplier and a vehicle;
- b. receiving a request for data from the vehicle (fig. 1, vehicle on-board unit);
- c. determining a location of the vehicle (GPS);



Art Unit: 2612

- d. determining a time reading (inherent);
- e. supplying data to the vehicle as a function of the time and the travel distance from a location, wherein the stream of data of data contains information have variable resolution that varies based on at least one of the time and travel distance from the location (see col. 4, lines 38-48, col. 5, lines 27-50, col. 8, lines 35-52, col. 9, lines 23-49);
- f. Collecting information from a plurality of context advisors 0104;
- g. Receiving service request from vehicle's on-board system;
- h. Performing context-information filtering based on the service requested;
- i. Acquiring pertinent information from the collected information;
- j. Storing the pertinent information in memory; and
- k. Delivering up-to-date information and services to the vehicle.

While the reference fails to clearly stated that the information varies based on both time and relative locations, it does suggest that the information also varies based on time as indicated in col. 5, lines 27-50. Thus, one skilled in the art would have readily recognized using both time and location criteria to vary the information to be sent to the on-board unit to limit the information to only relevant information.

Claim 24:

The rejection of claim 24 recites the rejection of claim 11, except it is a method claim.

Claim 26:

Takahashi discloses the step of purging data as function of time and travel distance from the location. See col. 5, lines 27-50.

Art Unit: 2612

Claim 28:

The plurality of context advisors in Takahashi inherently comprises a vehicle context advisor, an environmental context advisor, and a personal context advisor.

Claim 29:

The system in Takahashi further comprises:

- a. An input for accessing and receiving context information 0105;
- b. An identifier 0103 for analyzing the received context information and defining the type of information as related to one of the context advisors;
- c. A data storage device 0103 having memory for storing the context information, wherein the data storage device is interfaced with a plurality of onboard vehicle devices; and
- d. An agent 0103 for downloading the context information to one or more of the vehicle devices.

Claim 30:

The plurality of context advisors in Takahashi inherently comprises a vehicle context advisor, an environmental context advisor, and a personal context advisor.

Claim 31:

The system in Takahashi further comprises:

- a. An input for accessing and receiving context information 0105;
- b. An identifier 0103 for analyzing the received context information and defining the type of information as related to one of the context advisors;

Art Unit: 2612

- c. A data storage device 0103 having memory for storing the context information, wherein the data storage device is interfaced with a plurality of onboard vehicle devices; and
- d. An agent 0103 for downloading the context information to one or more of the vehicle devices.

Claim 32:

The step of collecting information from a plurality of context advisors in Takahashi inherently comprises collecting information from a vehicle context advisor, an environmental context advisor, and a personal context advisor.

Claim 33:

The method in Takahashi further comprises:

- a. Monitoring information from one or more sources 0105;
- b. Analyzing the monitored information and defining the type of information as related to one of the plurality of context advisors;
- c. Storing the context information in memory 0103;
- d. Communicating with an onboard vehicle device 0108; and
- e. Downloading at least some of the context information to the onboard vehicle device 0108.

Claim 34:

In Takahashi, the step of collecting information from a plurality of context advisors comprises collecting information from a vehicle context advisor, an environmental context advisor, and a personal context advisor.

Art Unit: 2612

Claim 35:

The method in Takahashi further comprises:

- a. Monitoring information from one or more sources 0105;
- b. Analyzing the monitored information and defining the type of information as related to one of the plurality of context advisors;
- c. Storing the context information in memory 0103;
- d. Communicating with an onboard vehicle device 0108; and
- e. Downloading at least some of the context information to the onboard vehicle device 0108.

***Claim Rejections - 35 USC § 103***

4. Claims 12, 14, 21, and 27 are rejected under 35 U.S.C. 102(b) as being anticipated by Takahashi et al. (US Patent No. 6,097,313) in view of COMDEX, Mercedes-Benz Article (cited by the applicant).

Claims 12 and 14:

The system in Takahashi further includes a transceiver within road-vehicle communication unit 0109, wherein the transceiver provides communication between the vehicle and the off-board source. The reference fails to disclose locating a communication unit between the vehicle and the off-board source at a fueling station. However, this concept is known in the art as taught in COMDEX. In light of this teaching, it would have been obvious to one skilled in the art to applying this teaching in Takahashi system because a fueling station is one of the

Art Unit: 2612

locations that is convenient for a vehicle to stop by and acquire information from the off-board data source. Further, by locating a road unit 0109 would only increase the convenience and reliability of the system to insure that the information is obtained by the vehicle unit, but the function of the device would not thereby be modified.

Claim 14:

The rejection of claim 14 recites the rejection of claim 12, except it is a method claim.

Claim 21:

The rejection of claim 21 recites the rejection of claim 12, except it is a method claim.

Claim 27:

The rejection of claim 21 recites the rejection of claim 12, except it is a method claim.

***Remarks***

5. Applicant's arguments have been considered but are moot in view of the new ground(s) of rejection.

***Conclusion***

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Julie Lieu whose telephone number is 571-272-2978. The examiner can normally be reached on MaxiFlex.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Horabik can be reached on 571-272-3068. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2612

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A handwritten signature in black ink, appearing to read 'Julie Lieu', with a stylized, flowing script.

Julie Lieu  
Primary Examiner  
Art Unit 2612

Sept 27, 06